


# Ping AD Computer SearchBase

## Powershell Ping multiple AD Computer

Welcher Computer ist Online und hat welche IP?



```
$csv = "C:\Temp\Ping.csv"
```

```
$Computers = Get-ADComputer -Filter * -SearchBase  
"OU=Server,OU=Machines,OU=ORG,DC=ndsedv,DC=de" | Select Name | Sort-  
Object Name
```

```
$Computers = $Computers.Name
```

```
$Headers = "ComputerName,IP Address"
```

```
$Headers | Out-File -FilePath $csv -Encoding UTF8
```

```
foreach ($computer in $Computers)
```

```
{
```

```
Write-host "Pinge $Computer"
```

```
$Test = Test-Connection -ComputerName $computer -Count 1 -ErrorAction  
SilentlyContinue -ErrorVariable Err
```

```
if ($test -ne $null)
```

```
{
```

```
$IP = $Test.IPV4Address.IPAddressToString
```

```
$Output = "$Computer,$IP"
```

```
$Output | Out-File -FilePath $csv -Encoding UTF8 -Append
```

```
}
```

```
Else
```

```
{
```

```
$Output = "$Computer,$Err"
```

```
$output | Out-File -FilePath $csv -Encoding UTF8 -Append
```

```
}  
cls  
}
```

Ping multiple AD Computer